

Release Notes Details Software-Version: Main 41.06: May 2023

A new version of mower software has been released for the affected models:

Model	Serial Range
SILENO city 250	All
SILENO city 300	All
SILENO city 350	All
SILENO city 380	All
SILENO city 400	All
SILENO city 450	All
SILENO city 470	All
SILENO city 500	All
SILENO city 550	All
SILENO city 580	All
SILENO city 600	All
smart SILENO city 250	All
smart SILENO city 300	All
smart SILENO city 350	All
smart SILENO city 450	All
smart SILENO city 500	All
smart SILENO city 550	All
smart SILENO city 600	All

The software includes the following changes:

- Various optimizations, which will make your robotic lawnmower work even more reliable in different situations
- Basic for future improvements
- Bug fixes



Release Notes Details Software-Version: Main 41.4: Nov. 2022

A new version of mower software has been released for the affected models:

Model	Serial Range
SILENO city 250	All
SILENO city 300	All
SILENO city 350	All
SILENO city 380	All
SILENO city 400	All
SILENO city 450	All
SILENO city 470	All
SILENO city 500	All
SILENO city 550	All
SILENO city 600	All
smart SILENO city 250	All
smart SILENO city 300	All
smart SILENO city 350	All
smart SILENO city 450	All
smart SILENO city 500	All
smart SILENO city 600	All

The software includes the following changes:

- Info message regarding cleaning charging contacts (Code 30)
- 2-step confirmation after stop to start mowing (new safety standard)
 - Press "Play"
 - HMI: "Press OK to start"
 - Press "OK"
- Various HMI bug fixes



Release Notes Details Software-Version: Main 35.13: Dec. 2021

A new version of mower software has been released for the affected models:

Model	Serial Range
SILENO city 250	All
SILENO city 300	All
SILENO city 350	All
SILENO city 380	All
SILENO city 400	All
SILENO city 450	All
SILENO city 470	All
SILENO city 500	All
SILENO city 550	All
SILENO city 600	All
smart SILENO city 250	All
smart SILENO city 300	All
smart SILENO city 350	All
smart SILENO city 450	All
smart SILENO city 500	All
smart SILENO city 600	All

The software includes the following changes:

- Charging current supervision
 Check if charging current is as expected. If this is not the case, the mower will dock again (up to 8 times). If still not as expected, the mower will display error 30 (charging system error).
- Defining starting point in start-up sequence.
- Guide calibration available in installation menu.
- Support for ZoneProtect Art. No. 15021 (coming during season 2022).
- Support for new security code handling at los PIN code (256byte).
- Bug fixes.



Release Notes Details Software-Version: Main 20.28: Dec. 2020

A new version of mower software has been released for the affected models:

Model	Serial Range
SILENO city 250	All
SILENO city 300	All
SILENO city 350	All
SILENO city 380	All
SILENO city 400	All
SILENO city 450	All
SILENO city 470	All
SILENO city 500	All
SILENO city 550	All
SILENO city 600	All
smart SILENO city 250	All
smart SILENO city 300	All
smart SILENO city 450	All
smart SILENO city 500	All
smart SILENO city 600	All

The software includes the following changes:

- Start on start (mower starts by pressing start, also if battery is not fully charged)
- Improved passage handling (if mower is locked up in a narrow passage while mowing, it will search the guide wire and return to charging station for charging)
- Several minor improvements



Release Notes Details Software-Version: Main 20.22: Feb. 2020

A new version of mower software has been released for the affected models:

Model	Serial Range
SILENO city 250	All
SILENO city 300	All
SILENO city 350	All
SILENO city 380	All
SILENO city 400	All
SILENO city 450	All
SILENO city 470	All
SILENO city 500	All
SILENO city 550	All
SILENO city 600	All
smart SILENO city 250	All
smart SILENO city 300	All
smart SILENO city 450	All
smart SILENO city 500	All
smart SILENO city 600	All

The software includes the following changes:

• Spot Cutting:

This function is perfect for areas that are mowed less frequently, such as under a trampoline. When using this function, the robotic lawnmower works in a spiral shape to cut individual areas of the lawn with higher grass.

Sensor Control:

The robotic lawnmower adjusts the mowing times automatically in accordance with the lawn growth.

CorridorCut:

Narrow passages down to a width of 60 cm between the boundary wire, are no problem for the mower. Even dead ends are no challenge. There is only one requirement – the guide wire needs to be installed throughout the narrow area.

Frost Sensor:

Mowing frozen grass can be harmful for the lawn. If the Frost Sensor is activated, the mower will not start to cut the grass if the temperature is below 5°C.

Incline:

The mower can handle a gradient of up to 35 percent.

• Various optimizations, which will make your robotic lawnmower work even more reliable in different situations.